

INDEX

- Activity,
of Australian ringtail possum, 37
seasonal, of *Citellus lateralis*, 384-386
- Adrenal gland, seasonal variations in, of *Citellus lateralis*, 394-396
- Age structure, in meadow spittlebugs, 222
- Alpine climate, 333
- Alpine plants, Mt. Washington, 331-357
caloric values, 341
energy reserves, 341-343
leaf temperatures, 340
microenvironment, 336-339
phenology, 340
photosynthesis and respiration, 343-349
- Alpine soils, fertility, 259-260
- Alpine standing crop and productivity, 243-270
- Anabantid fishes, sexual and nest discrimination in, 53-77
- Analysis of stimuli, in anabantid fishes, 55
- Annual cycle, of *Mycteria americana*, 101-102
regulation of annual cycle, 111-113
- Artemisia*, 308-309
- Auditory stimuli, analysis of, in anabantid fishes, 55
- Australian ringtail possum, abundance and distribution, 28-30
age composition in population, 43-44
disease, parasites, predators, 50-51
- Ayyad, M. A. G., article, 421-442
- "Bare ground" taxa, 311
- Behavior, of caddisflies,
case building, 287-289
experiments, 279-280
- Behavior, of *Colisa lalia*
exchanged and artificial nests, 68
- Behavior, feeding
of *Mycteria americana*, 102-106
evolution of, 113-114
- Behavior, population, of cotton rat, 366-368, 375
disappearance, 366-368
known survival, 366-368
population fluctuation, 368
population turnover, 366-368
- Bering Land Bridge, the environment of, 297-329
evidence, from submarine core, 324-326
evidence from islands, 326
- Billings, W. D., article, 243-270
- Biomass, estimation of, meadow spittlebugs, 220
- Biotic potential of infection, 129-132
- of *Hydra pseudoligaetis*, 122-123, 131-132
- Bliss, L. C., article, 331-357
- Bolen, E. G., article, 143-166
- Breeding and water levels, *Mycteria americana*, 110-111
- Caddisflies, factors limiting the microdistribution of larvae, 271-295
- Caloric values, alpine plants, 341
meadow spittlebugs, 221, 231
- Case type and habitat, of caddisflies, 280-281
- Cesium-134, cycling in oak, 403-420
methods of study, 405-407
mobility in litter and soil, 409
transfer from litter to vegetation, 414
- Chemical stimuli, in anabantid fishes, 55
- Chlorohydra viridissima*, biotic potential of, 123-131
- Chronology, correlation of Imuruk Lake data with Pleistocene, 313-316
- Citellus lateralis*, 383-401
- Climate,
alpine, 333
Saskatchewan, 422
subtropical Florida, 97-101
- Climatic record, inferred, Imuruk Lake core, 312-313
- Colinvaux, Paul A., article, 297-329
- Colisa, 53-77
C. lalia, 62-66, 68
C. fasciata, 66-68
- Condition, seasonal change in, Australian ringtail possum, 36-37
- CO₂ exchange and dry weight, 262
- Communities, alpine, 333
- Core, Imuruk Lake, 301-305, 314
- Cotton rat, influence of habitat quality upon density of populations, 359-381
behavior, population of, 366-368, 375
habitat of, 361-364, 368
home range of, 364-365
trapping of, 359-366
- Cummins, Kenneth W., article, 271-295
- Current, velocity in a Michigan stream, 284-285
responses in caddisfly larvae, 286-287
- Cycling, of cesium-134 in white oak, 403-420
of nutrients, 403-405
- Density, estimation of, meadow spittlebugs, 219-220
- Density, population,
in Australian ringtail possum, 40-41
- in meadow spittlebugs, 221-222
regulation, 239-240
relation to succession, 41-42
seasonal changes, 224-225
- Desert upland communities, 145
- Development
of the individual, Australian ringtail possum, 47-50
of young, *Citellus lateralis*, 391-393
- Diet, of Australian ringtail possum, 35-36
- Digestive system, of *Citellus lateralis*, 397
- Discrimination, sexual and nest, anabantid fishes, 53-77
- Distichlis communities, 146
- Dix, R. L., article, 421-442
- Dune-strand, North Carolina, physical environment, 80-81, 79-96
physiography, 80
vegetation, 81
- Ecology, of *Mycteria americana*, 97-117
- Ecosystems, approaches to study of, 169-172
- Ectoparasites, 50
- Efficiency of energy transfer, in meadow spittlebugs, 235
- Egestion, measurement of, in meadow spittlebugs, 220-221
- Eleocharis communities, 148
- Endoparasites, 50
- Energy, meadow spittlebugs
budgets, 231-233
flow, 233-235
input, 237-238
transfer, 235
- Energy relationships, alpine plants, 331-357
productivity, 353
seasonal, 348
- Energy requirements, of *Mycteria americana*, 106-107
- Environmental effects of
aspect, 429
position, 432
vegetation, 434
- Environment,
and standing crop, 247-250
of the Bering Land Bridge, 297-329
- Epidemic, components of, 119-142
- Epidemiology of the host-parasite system, 119-142
- Evolution of feeding behavior, *Mycteria americana*, 113-114
- Florida, sub-tropical marshes, 97-101
- Food, of *Citellus lateralis*, 386-387
of larvae of caddisflies, 285
of meadow spittlebugs, 228-229
of *Mycteria americana*, 108-109

- Germination, 89
Goertz, John W., article, 359-381
Golden-mantled ground squirrel, biology of, 383-401
Gradients, environmental, 176-210
 light, 197-201
 moisture, 176-185
 nutrient, 186-197
 temperature, 202-204
Gradients, physiographic and phytosociological, 434
Growth,
 of Australian ringtail possum, 47-50
 of caddisflies, 281-282
 of meadow spittlebugs, 235
 of root and shoot, 263
Habitat,
 and case type of caddisflies, 280-281
 of cotton rat, 361-364, 368
 of spittlebugs, 217-241
 quality, and density, cotton rat populations, 359-381
Hadley, E. B., article, 331-357
Hibernation, arousal from, *Citellus lateralis*, 397-398
Home range, variation, of cotton rat, 364-365
Host-parasite system, epidemiology of, 119-142
Hydra pseudoligactis, biotic potential of, 122-123, 131-132
Hydramoeba hydroxena (Entz.), 119-142
Ice ages, theory of, 316
Immigration, meadow spittlebugs, 237-238
Imuruk Lake, *see* Bering Land Bridge
Ingestion-egestion, of meadow spittlebugs, 229-230
 excretory products, 229
 rates of, 230
Infection,
 characteristics of, in *C. viridisima*, 128-129
 potential spread in host populations, 126-128
Juncus communities, 147
Kahl, M. Philip, Jr., article, 97-117
Land Bridge, the environment of the Bering, 297-329
Larvae of caddisflies, factors limiting
 microdistribution of, 271-295
 food of, 285
Lateral line stimuli, in anabantid fishes, 55
Leaf temperatures, 340
Life histories of caddisflies, 278-279
 and taxonomy of larvae, 280-282
Light gradient, 197-201
 measurement, 198
Lipid content, alpine plants, 343
Live-trapping, of cotton rat, 359-360
Liver glycogen, of *Citellus lateralis*, 397
Major, J., article, 167-215
McKeever, Sturgis, article, 383-401
Meadow Spittlebugs, 217-241
Microdistribution of caddisfly larvae, 271-295
Microenvironment,
 alpine, 333, 336-339
 dune strand, 81
 prairie, 424-426, 435-437
Microfossils, from Imuruk Lake, 319-322
 animal, 319-321
 plant, 321-322
Migration and habitat, meadow spittlebugs, 217-241
Mortality, meadow spittlebugs, 222-224
Mt. Washington, N.H., alpine zone
 climate, 333
 geology, 332
 plant communities, 333
 soils, 332
Mycteria americana, 97-117
Natural history, Australian ringtail possum, 33-37
Nest discrimination, anabantid fishes, 53-77
Nests, Australian ringtail possum
 construction, 34-35
 utilization and social organization, 37-40
Nests, behavior of *Colisa lalia*, exchanged and artificial, 68
Nutrient cycles, 403-405
Nutrition, of meadow spittlebugs, 228-229
Ordination, prairie stands, 427
 correlations with microenvironment, 434
Organic matter, salt marsh, 163
Owen, W. H., article, 27-52
Parasites, predators and disease, Australian ringtail possum, 50-51
Pelvic fin ray stimuli, in anabantid fishes, 55
Phenology, 87, 151-152, 340
Philaenus spumarius L., 217-241
Photosynthesis and respiration, 254-259
 alpine herbs and shrubs, 343-347
 Carex bigelowii, 343
pH, salt marsh, 161
Phragmites communities, 148
Picciolo, Anthony R., article, 53-77
Pituitary, seasonal changes, *Citellus lateralis*, 393-394
Pleistocene chronology, correlation of Imuruk Lake data with, 313-316
Pollen diagram, Imuruk Lake, 305-307
 inferred climatic record, 312-313
 of submarine core, 324-325
 vegetational interpretation, 307-312
Pollen rain, modern, in Imuruk Lake, 307
Population density,
 of Australian ringtail possum, 40-42
 of *Citellus lateralis*, 387
 of meadow spittlebugs, 221-222
Population energetics, of meadow spittlebugs, 217-241
Population increase of parasite on individual host, 121-126
Population structure, of Australian ringtail possum, 37-47
Possum, Australian ringtail, 27-52
Prairie and microenvironment, 421-441
Precipitation, Mt. Washington, 337
Predators, parasites and disease, of Australian ringtail possum, 50-51
Prey, types of, of *Mycteria americana*, 107-108
Production, of meadow spittlebugs, 225-227
Productivity, alpine, 243-270, 353-354
Protein content, alpine plants, 342
Pseudocheirus peregrinus, 27-52
Pycnopsyche lepida (Hagen) and *P. guttifer* (Walker), 271-295
Regulation, population density in meadow spittlebugs, 239-240
Reproduction, Australian ringtail possum, 46-47
Reproduction, *Citellus lateralis*, 388-391
Reproduction of meadow spittlebugs, 227-228
Reproduction, *Uniola paniculata*
 germination, 89
 life cycle, 94
 phenology, 87
 seedling establishment, 92
 seed dispersal, 89
 sexual, 87
 vegetative, 84-86
Respiration, of meadow spittlebugs, 230-231
 measurement of, 221
Salinity, of soil, 156-160
Salt marsh communities,
 Distichlis, 146
 Eleocharis, 148
 emergent marsh, 149
 Juncus, 147
 phenology, 151
 Phragmites, 148
 submersed, 150
 succession, 151
Salt marshes, spring-fed, 143-166
 vegetation, 145-152
Sand layers, significance of, in Imuruk Lake core, 302-304
Saskatchewan, prairie and microenvironment, 421-441
 climate, 422
 geology, 422
 soils, 422
 vegetation, 422
Scott, D., article, 243-270

- Sediments, source of clay- and silt-sized, in Imuruk Lake core, 301-302
- Seed dispersal, 89
- Sex-ratio, in Australian ringtail possum, 45-46
- Sexual discrimination, in anabantid fishes, 53-77
- Sigmodon hispidus texianus*, 359-381
- Social organization, Australian ringtail possum, 37-40
- Soil moisture,
 alpine, 338
 availability, 182
 field measurement, 178
 gradients, 182
 physiological measure, 177
- Soil nutrients
 chemical analysis, 190
 correlation, yields and fertility, 193-194
 gradients, 195-196
 relative fertility, 192
- Soil, alpine, 332
- Soil, salt marsh
 moisture, 160
 organic matter, 163
 pH, 161
 salinity, 156
 salt stability, 160
- Soil texture and organic matter, 262
- Solar radiation, 336
- Standing crop, alpine, 243-270
- Stimuli, analysis of, in anabantid fishes, 55-66
- Stiven, Alan E., article, 119-142
- Stork, wood, food ecology of, 97-117
- Submaxillary glands, changes in, of *Citellus lateralis*, 397
- Sub-tropical marshes of Florida, climate and physiography of, 97-101
- Succession
 in Australian ringtail possum density, 41-42
 of salt marshes, 151-152
- Temperature,
 alpine, 337
 gradients, 202-204
 of leaves, 340
- Thomson, J. A., article, 27-52
- Thyroid gland, seasonal changes in, of *Citellus lateralis*, 395-397
- Tolerance, of vegetation to salinity, 157-159
- Trapping, of cotton rat, 359-361
- Trichogaster*, 53-77
 T. trichopterus, 56-60
 T. leeri, 60-62
- Uniola paniculata*, ecology of, 79-96
 germination, 89
 growth and propagation, 84-86
 life cycle, 94
 range, 82
- seedling establishment, 92-93
- sexual reproduction, 87-89
- taxonomy, 82
- Vegetation and microenvironment, 421-441
- Vegetation, California redwood region, 167-215
 relation to environmental gradients, 176-210
- Vegetation, Imuruk Lake Region, modern, 300-301
- Vegetation, of salt marshes, 145-152
- Velocity, current in a Michigan stream, 284-285
- Visual stimuli, analysis of, in anabantid fishes, 55-66
- Vocalization, Australian ringtail possum, 37
- Wagner, Richard H., article, 79-96
- Waring, R. H., article, 167-215
- Water levels and breeding, *Mycteria americana*, 110-111
- Weight, seasonal changes in body, of *Citellus lateralis*, 387-388
- White oak, and cesium-134 cycling, 403-419
- Wiegert, Richard G., article, 217-241
- Wind, Mt. Washington, 338
- Witherspoon, John P., article, 403-420
- Wood stork, food ecology of, 97-117